INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited".

Abnormalities
  Difflugia corona 428, 471
  Drosophila virilis 598
  Man 90-106
  Paramecium caudatum 404, 529
  Phaseolus vulgaris **185**-195
Aborted grain, Avena 255
Abortion of style, Oenothera 235, 236, 248
Abraxas **152**-156, 161
ACKERT, JAMES E. **387**
AGAR, W. E. 527, *533*
Aglia lugens **158**
Aglia tau **158**, 161
Agouti
  Guinea-pigs 289, 302
  Rabbits 370
Airedale terriers 369-371
ALLEN, G. M. *372*, *375*
Allelomorphic series (see multiple allelomorphs)
ALTENBURG, EDGAR **354**
Ancestral inheritance 287, 288, 367, 369
Anchylosis **90**
ANDRLIK, K. 335, 336, *347*
Aphis avenae 403
Aphis rumicis 403
Ascaris 3, **159**
Association of characters (see also correlation and linkage)
  Oenothera *221*, *227*, 246
  Avena 264, *272*, 285
Assortative mating **66**, 82, 611, **612**, 615
Asymmetry
  Oenothera 233, 234, 249
  Phaseolus 186
ATKINSON, G. F. 245, *250*
Aural patches, dogs *372*
Autogamy 524
Avena fatua **252, 253,** 264
Avena fatua × *sativa* **252**
Avena nuda 253
Avena sativa **252**
Avena sativa × *fatua* 270
Bacteria 529, 530
BALTZER, F. 351
Banasa calva **159**
BARBER, M. A. 530, *533*
Barley 403
BARROWS, W. M. 369, 370, *375*
BARTLETT, H. H. **177,** 178, *184*, 199, 203, 205, 206, 210, *250*
BARTON, F. T. 367, 368, 371, 373, *376*, 379, 384, *386*
BARTOS, V. 335, 336, *347*
Basic color factor 278, 285
Basic pubescence factor 278, 285
Basset hounds 287, **367**-375, **384**-386
  Black 370, 371, 375
  Black-and-tan 368-375, 385, 386
  Black-and-white 373, 375
  Black-white-and-tan 368
  Brown 371
  Chocolate 371, 375
  Extension factor 369, 370, 373-375, 379
  Lemon-and-white 287, 374
  Liver-and-tan 369, 375
  Red 370
  Red-and-lemon 369, 370, 374, 375, 386
  Sable 374
  Tan 385
  Tan-and-lemon 369, 375
  Tan-and-white 368, 369, 373, 375, 385
  Tricolor 287, **367**-375
  White spotting 371-386
BATESON, W. 158, *162*, 275, 282, *285*, 355, 360, *366*
Batrachoceps 365
BAUR, E. 348
Beans **185**-195, 403
BECKMANN method 192
Beets (see sugar beets)
BELLING, J. 175, 176
Bicolor, dogs 369, 370, 386
Bicolorism 538, **545**, **547**, 548, 559, 581, 585, 589
Bimodal curves 425-427
Biotypes 248
Black-and-tan
  Dogs 368-375, 385, 386
  Rabbits 370
  Mice 370
Black body color
  Cats 158, 377-385
  Dogs 370, 371, 375
  Drosophila ampelophila 132, 133
  Drosophila virilis **593**, 597, 598
  Guinea-pigs 289-293, 296, 305-309
Black eye color
  Canaries 158
  Guinea-pigs 292
Black spotting 385
  Dogs 371

Black spotting (continued)
Cats 384
Guinea-pigs 386
Blended inheritance
Nicotiana 173
Oenothera 212
Blue vs. yellow pollen **317**, 318
BONHOTE, J. L. 383, *386*
BONNEVIE, K. 365, *366*
BORING, A. M. 159, *162*
BOWLES, ADAM 579
Brachydactylism 90
BRAUN, ALEX. 314
Breeding, systems of **53**-89, **608**-616
Breeding technique
Avena 253-274
Beets 336
Difflugia 414, 415, 472, 489
Drosophila 142
Guinea-pigs 290, 296, 297, 305
Paramecium 386-389, 528
Phaseolus 187
Primula 355-357
BRIDGES, CALVIN B. **1**, 2, 3, 4, 15, **107**, 121, 157, *162*, *163*, 274, 276, *285*, 354, 362, *366*, 546, *579*, *580*, 584, 589, *590*, 597, *607*
CALKINS, C. N. 404, *404*, 524, 527, 528, *533*
Canaries **158**, 161
CASTLE, W. E. 105, 149, 165, 175, *176*, 288, 289, 290, 291, 294, 300, 301, 304, 306, *309*, 365, *366*, 367, 370, 374, *376*, 403, 404, 409, 527, *533*
Cats
Black 158, 377-385
Black-and-white 379, 385
Blue 383
Dilute black 383
Dilute orange 384
Dilute red 383
Orange 377-385
Red 384, 385
Red-and-white 385
Tortoise-shell **377**
Yellow 158, 377, 379, 383, 384
White spotting 384, 385
Centers of pigmentation 372, 285
Cercis Canadensis 186
Ceuthophilus **159**
Chromatin elimation 350-352
Chromidia 524
Chromonema 365
Chromosome theory **1**, **107**, *272*, 283, 284, 354, 362-365, 536
Chiasmatype hypothesis 121, 122, 136, 161, 305
Clones 404
Cocker spaniels 369
Coefficient of association 276
Coefficients of correlation 336-347, 416, 417, 430, 431, 436, 437, 450, 451, 464, 465, 475, 476, 478-481, 487, 488, 490, 493, 496, 506, 508, 510
Coefficients of regression 417, 463
Coefficients of synapsis 17, 18, 37
Coefficients of variation 171, 175, 322, 327, 329, 332, 417, 423-428, 444, 445, 448-450
Coleus 530
COLE, L. J. 287, 294, *309*
Color patterns 156, 287-309, 366-386, 530
COMES, O. 311, 312, 313, *333*
Constancy of the genotype 165, 408, 409, 522, 523, 527, 529
Correlation
Avena 263, **264**, 268-285
Beans **185**-195
Difflugia 410, **419**, **428**-437, **450**-**461**-**467**-510, 530-532
Nicotiana 174, 319
Oenothera 220, 221, 227, 245, 246, 250
Sugar beets **334**-347
Coupling (see linkage) 275
Criss-cross inheritance 4, 9, 152, 541
Crossing over
Avena 272-285
Cats 377-383
Drosophila ampelophila 4, 6, 7, 45, 46, 48, 107, 111, 115, **116**, 121, 122, 133-136, 536, 537, 549-571, 579, 585, 589
Drosophila similis 600-604
Primula Sinensis 377-383
Crossover values 119, 276, 281, 604
Avena
Wild base-pubescence on upper grain 270, 284, 285
Pubescence on lower grain-black glume 280, 284, 285
Drosophila ampelophila
Blood-miniature 554, 556, 566
Buff-miniature 585, 588, 589
Eosin-bar 117, 118
Eosin-forked 117, 118
Eosin-sable 118
Eosin-tan 117, 118
Eosin-vermilion 117, 118
Forked-bar 150
Fused-bar 150
Rudimentary-forked 150
Tan-vermilion 117, 118
Tinged-bar 568, 570
Tinged-miniature 563-566
Vermilion-bar 118
Vermilion-forked 117, 118
Vermilion-miniature 7
Vermilion-sable 7, 118
White-bar 579
White-miniature 552, 579
Yellow-bar 8
Yellow-blood 552
Yellow-buff 589
Yellow-cherry 8
Yellow-eosin 8
Yellow-forked 8
Yellow-garnet 152
Yellow-lethal 4 149

Crossover values (continued)
Drosophila ampelophila (continued)
Yellow-lethal 6 149
Yellow-miniature 8, 589
Yellow-sable 8
Yellow-tan 8
Yellow-tinged 562
Yellow-vermilion 8, 117
Yellow-white, 8, 552, 579
Drosophila virilis
Yellow-magenta 602
Primula Sinensis
Red flowers-long styles 358, 363
Red flowers-red stigmas 358, 363
CROWE, S. J. 102, 104
CURTIS, MAYNIE R. *252*
CURTIS, W. E. 253
CUSHING, HARVEY **90**
Cytoplasmic inheritance 523, 525
Cytology
Chromatin elimation in Oenothera 348-352
Non-disjunction in Drosophila 107-109
Dachshunds 371
Darwinism 525
Datura Metheloido-Metel 316
Datura Stramonium 316
Datura Stramonio-laevis 316
Datura Stramonio-Tatula 316
Datura Tatulo-Stramonium 316
DAVENPORT, C. B. 175, 388, *405*
DAVENPORT, EUGENE 336
DAVIS, B. M. **197**, 199, 201, 203, 212, 216, 228, 240, 243, 245, 248, 250, *251*, 348
Death rate 186
Deficiency **150**
Deformities (see abnormalities)
Degeneration, nuclear 351
Delayed germination 198-202, 223, 228, 243, 250
DE VRIES, H. 198, 200, 201, 202, 203, 204, 206, 209, 210, 234, 236, 240, 241, 242, 243, 245, 246, 249, *251*, 348, 349
DEXTER, J. S. 156, *162*
Diabrotica soror **159**
Diabrotica vittata **159**
Differential fertility (see also sterility) 319
Differential mortality 186, 200, 220
Differentiation of sex 109, 162
Difflugia corona 404, **407-411-522**-533
Combinations of characters **452**, 514
Constitution **419**
Continuity
Correlation of characters **419**, **428**, **450**, **461**
Deceptive correlation **467**
Depth of shell **426**
Description **411**
Diameter of mouth **427**
Diameter of shell **425**, **453**, **456**, **502**, **495**, **496**
Distribution of characters **444**
Diverse branches **514**

Difflugia corona (continued)
Diverse families **461**
Diverse strains **437**
Length of spines **428**, **456**, **504**, **505**
Mutation **483**-485, 501
Number of spines **424**, **453**, **487**, **493**, **494**, **502**
Number of teeth **427**, **456**
Pedigrees **415**, 422, 423, 441-443, 455, 457, 458, 460, 473, 474, 483, 494, 500, 513, 515-519
Reproduction **412**
Selection in single families **472-486**-521
Difflugia urceolata 524
Dilution of pigments 143, 383, 585
Dimorphism
Sexual (see also bicolorism) 7
Diploid chromosomes 350
Discontinuity (see also mutation), 526
Dogs 287, **367**-375, **384**-386
Dominance 164
Incomplete 164, 258, 262, 272, 285, 294, 318, 596
Modification of **105**, 596
Dominant red 371, 374
Dominants selected **84**, **614**
DON, GEORGE 311
DONCASTER, L., 152, 153, 154, 156, *162*, 377, 378, 379, 380, 381, 383, 384, *386*
DORSEY, M. J. 319, *333*
Double reciprocal hybrids 348-353
Double crossovers 48, 133-136, 358-364, 586-588
Doubling of chromosome number (tetraploidy) 115, 161, 177-184
DRINKWATER, H. 90, 96, 97, *106*
Drosophila ampelophila 1-52, 107-163, 354, 362-365, 536-579, 581-583, **584**-589, 596, 602-607
Body color
Black 132, 133
Gray 550-554, 561-563
Sable 4, 6, 7, 28, 29, 31, 32, 42, 117, 129, 130, 131, 133, 134, 136, 151
Tan 7, 8, 46, 47, 112, 113, 117, 118, 121, 122
Yellow 7, 35, 41, 50, 51, 122, 123, 133, 149, 151, 535, 550-554, 561-563, 579, 585-589, 603, 604
Eye color
Blood 535-**537-539**, **540**, 542-**545**, **546-548-550-552**-556, 566, **570-572-574**, **575-577**-579, 581, 582
Blood-tinged compound 570, 571
Buff **548**-590
Cherry 7, 8, 148, 535, 536, 538, 539, **548**, 549, 550, **560**, 561, 578, 579, 588, 589
Cherry-blood compound 548-550
Cherry-buff compound 588, 589
Cherry-tinged compound 560, 561
Cream a **147**-149
Cream b **149**

Drosophila ampelophila (continued)
Eye color (continued)
Dark **148**
Eosin 7, 8, 19-25, 30-32, 34-52, 111-114, 117-151, 535, 536, 539, **546**-548, **558**-561, 571, 578, 579, 581, 582, 584, 585, 588, 589
Eosin-blood compound 546-548, 581
Eosin-buff compound 584, 588
Eosin-tinged compound 558-560
Eosin vermilion 7
Garnet 136, **151**-152
Homo-pink **575**-578
Pink 123, 124, 127, 538, 572, **573**, **574**-576
Purple 152
Red 4, 9, 10, 19-25, 28, 30-32, 34-36, 38-48, 52, 112-115, 120-134, 137-140, 143-145, 535-537, **539**, **540**, **541**, 542, 545-549, 551-556, 562-575, 577, 578, 580, 582, 583, 585-587, 589
Tinged 535-537, **539**, **541**, 542, **556-572**, **575**, 576, **577**-579, 580
Vermilion 4-10, 12, 13, 22-26, 28, 29, 32-36, 38, 39, 42, 43, 45-52, 111-114, 117, 118, 120-131, 133, 134, 136, 139, 145, 147
White 7, 8, 20, 22, 25, 30, 31, 38-41, 44, 45, 47, 48, 122, 123, 129, 133, 140, 141, 147, 150, 151, 535, 536, 539, **542**-546, 548, 550, 552, 553, 555, **556**-559, 570, 572, 573, 579, 580, 582-**584**, 585, 588, 589
White-blood compound 542-545
White-buff compound 588, 589
White-eosin compound 19, 24, 40, 136-138, 141, 148, 150
White-tinged compound 557-559
Whiting **148**
Eye shape
Bar 7, 8, 20-25, 30, 31, 34-36, 38-45, 47, 48, 50, 51, 112-114, 117, 118, 120, 124-126, 129, 130, 133, 137-141, 144, 146, 147, 150, 151, **566**-570
Lethals
Confluent **151**, 602-604
Deficiency **150**, 151
Lethal 4 **149**
Lethal 6 **149**
Lethal 7 **149**, 150
Spine form
Forked 7, 8, 42, 43, 50, 51, 111-114, 117, 118, 124, 125, 128-131, 134, 136, 150, 151, 602-604
Wing character
Arc 127, 128
Bifid **151**
Confluent **151**, 602-604
Long 32, 33, 40, 126, 552, 554-556, 562-569, 582, 583
Miniature 7, 8, 32, 33, 40, 126, **552**, Rudimentary 150, **151**
554-556, 562-569, 579, 584-589

Drosophila ampelophila (continued)
Wing character (continued)
Short **151**
Speck 127, 128
Spoon **149**
Truncate 582, 583
Drosophila confusa 606
Drosophila obscura 591, 604-607
Extra bristles 604, 605
Short vein 605
Triangle 604, 605
Drosophila similis 591, 605, 606
Chocolate eye color 606
Drosophila tripunctata 591, 606
Drosophila virilis 151, 591, **592-602**-604, 606, 607
Body color
Black **593**, 597, 598
Yellow **593**, 599, 601-604
Bristle character
Bald **593**, 598-600
Forked **593**, 599, 600, 602-604
Eye color
Glazed **593**, 599, 601, 602
Magenta 593, 599, 600, 602
Steel **593**, 597-599
Eye form
Morula **593**, 597, 598
Wing form
Acute 592, **593**, 597-599
Axillary 592, **593**, 595, 596, 598, 600
Concave 592, **593**, 597, 598
Confluent 151, 592-596, 600, 602-604
DUNAL 314
DURHAM, F. M. 158, *163*
Dutch marked 301
Dwarfs 198, 204, 217, 219-222, 225, 226, 228, 233-235, 245, 248, 249
EAST, E. M. **164**, 166, 170, 173, 175, *176*, 199, *251*, **311**, 319, 322, *333*
EASTWOOD, ALICE 205
Ectrodactylism 90
Electrical conductivity 188, 192-194
EMERSON, R. A. 173, 175, *176*
Environment 170, 176, 267, 320, 322, 357, 393, 395, 399, 404, 410, 411, 423, 467, 522, 530, 532, 537
Equational non-disjunction 35, 39, **120**-136, 148, 161
Etiolation 234, 249
Evanescent rosettes 219, 220
EWING, H. E. 403, *405*, 527, *533*
Exceptions 9-**18**-52, 107-147, **152**-161, 175, 270, 377-384, 555, 572, 574, 599
Extension factor
Cats 384-386
Dogs 369, 370, 373-375
Guinea-pigs 291-309, 370, 384-386
Extra bristle flies 604, 605
Extra chromosomes (see non-disjunction)
Factorial constancy 165
FARABEE, WM. C. 90, *106*
Fasciation 191

Fertility 311, 313, 315, **319**
Fibonacci series 54 (F in table 1), 57, 71
FISH, H. D. 54, 55, *89*, 370, *376*, 608, *616*
Fission 524
  Rates
    Difflugia 414
    Paramecium 527
    Stylonychia 404, 529
Flinty maize 164
Floury maize 164
FOCKE, W. O. 313, 314, *333*
Formulae
  Breeding results **53**-88, 608-615
  Coefficient of correlation 417
  Coefficient of regression 417
  Coefficient of synapsis 17, 18, 37
  Coefficient of variation 417
  Crossing over 275
  Standard deviation 264, 417
Fowls **158**, 161
Foxhounds 373
Fox-terriers 372
Freezing-point 188, 192, 193, 195
FROLOWA, SOPHIA 159, *163*
Fundamental series 54 table 1, **56**-61
GALTON, FRANCIS 174, 287, 288, *309*, 335, 367, 369, 374, *376*
Gametic purity 165
GÄRTNER, C. F. 313
GATES, R. R. 157, *163*, 177, 178, *184*, 198, 199, 245, 249, *251*
GEERTS, J. M. 177
Genotype 250, 409, 410, 522, 523, 525, 526, 529
Germination of seeds
  Nicotiana 170, 319
  Oenothera 198-**201**-202, **216**, 217, 223, **228**-230, **243**, 250
Gigantism 204, 236-239, 248
GODRON, D. A. 313, 314, *333*
GOLDSCHMIDT, R. **348**, *353*
Gonomery 350
GOODALE, H. D. 289, 291, 296, 298, 304, 306, *309*
GOODSPEED, T. H. 319, *333*
GORTNER, R. A. 192, *196*, 335, *347*
GOVER, MARY 417
Gradual change 477, 478, 480, 522, 523, 530, 533
GREGORY, LOUISE H. 404, *404*, 527, 528, *533*
GREGORY, R. P. 115, 161, *163*, 354, 355, *366*
GROSSE, F. E. 178, *184*
Growth **320**, 399, 400, 402, 404, 410, 411, 423, 444, 522, 530
Guinea-pigs **287**-309, 367, 370, 373, 378, 383, **384**-386
  Coat color
    Agouti 289, 302
    Agouti-and-red 302
    Bicolor blacks (see black-and-white), 289, 304
    Black 289-293, 296, 305-309, 378, 379
Guinea-pigs (continued)
  Coat color (continued)
    Black-and-red (see tortoise)
    Black-and-white 288-293, **298**-306, 308, 379, 385
    Black spotting 292, 295-298, 300-309, 385-386
    Brown (see chocolate)
    Chocolate 289-292
    Chocolate-and-red 292 table 1
    Chocolate-and-white 291, 292 table 1
    Chocolate spotted 289, 292
    Cinnamon agouti 289
    Dilute tortoise 383
    Red 289-298, 300, 303, 305-308, 384-385
    Red-and-white 289-308, 385
    Red spotting 296, 298
    Tortoise 288-**294**-298, 301-308, 379
    Tricolor **287**-**292**-**299**-309, 367, 373, 374, **384**-386
    White blaze 295
    White feet 295
    White spotting 288-306, 373, 384, 385
    Yellow 307
    Yellow-and-white 288
    Yellow spotted 383
  Constant factors 292 table 1
  Extension 291, 304, 307-309, 370, 384-386
  Eye color
    Black 291, 292 table 1
    Brown 291, 292 table 1
  Factorial analysis **290**, 292 table 1
Gynandromorphs **136**, 161, 582, 583
HAGEDOORN, A. L. 371, 374, *376*
HANEL, E. 403, *405*, 410, *534*
HARDY, G. H. 54, *89*, 608, *616*
HARRIS, F. S. **334**
HARRIS, J. ARTHUR **185**, 186, 192, *196*, 335, *347*, 409, *534*
HAUSKNECHT 270
HAYES, H. K. 164, 175, *176*, 319, *333*
Height
  Nicotiana **319**
  Sugar beets **339**, **344**, 347
HERBST, C. 351
HERIBERT-NILSSON, N. 175, 199, 200, 242, *251*
Hero types 236, 237
Heterosis 170, 314, 320, 323
Heterosynapsis 12, **16**, 28, 37, 115, 116, 160
Heterozygosity (see heterosis)
Heterozygous species 200
High non-disjunction 136-142
High stigmas (see long style)
HOGENSON, J. C. **334**
Homosoynapsis 12, 16, 37, 160
Homozygosis 165, 174, 316, 524
Hooded rats 149
Hybrid vigor (see heterosis)
Hydra grisea 403

Hydra viridis 403
HYDE, ROSCOE R. **535**, 548, *579*, **581**, 581, 582, *583*, 606, *607*
Hyperphalangia 90
Hypophalangia 90
IBSEN, H. L. **287**, **367**, 370, *376*, **377**, 378, 379, *386*
Inbreeding **70**, **84**, 165
Incomplete dominance 164, *262*, 263, *272*, 285, 294, 318, 596
Infusoria 412
Inheritance in populations **429**, **430**
Inheritance within the family **472**, **485**, **486**, **514**
Inhibiting factors 151, *272*, 280, 371, 374, 375
Interaction of factors 357, 596
Interference 364, 365
JANSSENS, F. A. 121, 122, *163*, 365, *366*
JENNINGS, H. S. **53**, 54, *89*, 387, 399, 400, 403, 404, *405*, **407**, 411, 462, 486, 524, 528, *534*, 608, 609, 611, 612, 615, *616*
JOHANNSEN, W. *275*, *286*, 378, *386*, 403, *405*, 409, 410, 526, *527*, *534*
KAJANUS, B. 175
KELLY, J. P. 403, *405*
KRAFKA, J. 592
KRAUSE, LINA 350
KREHL, R. 368
LANG, A. 369, *376*
LASHLEY, K. S. 403, *405*, 410, 411, 418, 467, 527, *534*
LASKOWSKY, N. 334, *347*
Lathyrus 318
LEIDY, JOSEPH 428, *534*
Linaria purpureo-vulgaris 316
Linear arrangement 4, 7, 8, 362, 363, 364, 604
LINK 313
Linkage 174
  Abraxas 152-155
  Avena 263, 264, 268-285
  Canaries 158
  Cats 158, 377-384, 386
  Drosophila ampelophila 1-**4**-52, 107-**152**-162, 354, 362, **535**-579, 581, **584**-590, 603, 604
  Drosophila obscura 605
  Drosophila virilis 592, 593, 599, 600-604
  Guinea-pigs 291-309, 386
  Oenothera 245-247, 250
  Paratettix 156
  Pigeons 157
  Primula **354**-366
  Rats 365
LITTLE, C. C. 291, 307, *309*, 369, *376*, 377, *379*, 380, *386*
Loci (see chromosome theory), 4, 6, 7, 8, 149, 284, 362, 536, 537, **542**, 546, 548, 550, 552, **556**, 585, 589
LOCK, R. H. 311, 317, 318, *333*
Long style
  Oenothera 207, 221-223, 227, 248
  Primula 354, 355, 358-361, 363-366
Luffa acutangulo-cylindrica 316
LUTZ, ANNE M. 157, *163*, 177, 236, *251*
MAAS, H. 335, *347*
MACDOWELL, E. C. 175
Macrodactylism 90
Maize 164, 165
MALL, F. P. 96, *106*
Mammals 411
Man 90-106
MAPES, HELENA 579
MARRYATT, D. C. E. 158, *163*
Material basis of heredity (see also chromosome theory) 525
Matroclinous exceptions 9, 44, 159, 160
Matroclinous hybrids 216, 246, 349, 351
MCQUINN, LENORE 579
Mechanism of inheritance (see also chromosome theory) 199, 523
Medullary rays 178, 179, 181-184
MENDEL, G. 314, 317, 354
Mendelian notation (see also nomenclature) 164, 176
Merogony **348**-353
Metanodius 11, 159
METZ, B. S. 151, *163*, 591, 593, 606, *607*
METZ, C. W. 108, 151, *163*, 349, **591**, 593, 602, 606, *607*
Mice 278, 370
MIDDLETON, A. R. 404, *405*, 411, 529, *534*
MILLAIS, Sir EVERETT 367, 368, 373, 375
Mitotic disturbance 582
Modification (see environment)
Modification of dominance 105, 596
Modifiers 148, 585, 589
Monstrosities (see abnormalities)
MORGAN, T. H. 1, 2, 4, 79, 121, *163*, 272, 276, 283, *286*, 289, 291, 296, 298, **304**, 306, *309*, 362, *366*, 536, 538, 546, *580*, 582, *583*, 584, 589, *590*, 597, 603, *607*
Mosaics 136, 161, **547**, 548, 579, **581**-583
Moths (see also Abraxas and Aglia) 365
MULLER, H. J. 1, 2, 115, 121, *163*, 362, 364, *366*, *579*, 584, *590*, 597, *607*
Multiple allelomorphs 7, 8, 156, 157, 291, 292, 306-309, 386, **535**-578
Multiple factors (see also plural factors) 572, 578
Multiple medullary rays 184
Mutability **606**
Mutant hybrids 198
Mutation 140, 141, **147**-152, 161, 164, 178, 199, 228, 272, 483-485, 501, 526, 529, 533, 536, **537**, 539, 578, 584, **591**-607
NABOURS, R. K. 156, *163*
NÄGELI, C. 314
Natural selection 185
NAUDIN, Ch. 313-317, *333*
Negative correlation 268, 335, 336, 461, 463, 471, 510, 511
Negative effect of selection 393, 399
Nematodes 10

Nicotiana **164**-176, **311**-333
Corolla color **317**-319, 333
Corolla length 164-176, 321, **322**-333
Corolla shape 318
Fertility 314, 315, **319**, 332
Height **319**
Leaves **320**
Pollen color **317**, 318, 333
Time of flowering 320
Nicotiana alata **311**-333
Nicotiana alata grandiflora 312, 313, 317, 323, 324, 330, 332, 333
Nicotiana angustifolia 316
Nicotiana commutata 314, 315
Nicotiana Langsdorffii 311-333
Nicotiana longiflora 166-175
Nicotiana macrophylla 316
Nicotiana Persica 314-317
Nicotiana plumbaginifolia 168
Nicotiana rustico-Texana 316
Nicotiana Texano-rustica 316
Nilsson-Ehle, H. 175, 260, 261, 262, 267, 268, 269, 272, 283, 285, 286
Nomenclature 7, 8, 20, 291, **539**
Non-disjunction **1**-52, **107**-162, 540, 571, 599
Autosomal 157, 161
Cytology of, 107-111
Equational 35, 39, **120**-136, 148, 161
High **136**-142
Primary **9-11**, 39, **44**, 119, 146, 154-159
Reductional 115, 122, 161
Secondary **11**-14, **28**, 37, 39, 42, 45, 49, 119, 120, 155, 156, 160
Somatic **136**, 161
Nucleus 351, 352, 523, 525
Oat breeding **252**-285
Oats (see also Avena)
Awns 254-258, 264-271, 284
Base of grain 254, 257, **262**, **263**, **264**, 265, 268, 279, 281
Cultivated base 255, 265, 266, 271
Intermediate base 262, 263
Wild base 254, **264**-266, 268, 269, 271, 285
Color of glumes 255, 258, **259**, 263, 268, 269
Black or brown 254-262, 264, 269, 273, 274, 277-285
Gray 259-262, 264, 269, 273, 285
White 260-262
Yellow 255-257, 259-262, 264, 269, 273, 284, 285
Pubescence 254, 255, 257-259, **269**-**270**-**274**-**277**-285
Varieties
Kherson **252**, **255**, 256, 257, 259, 268
Senator 256, 274
Wild **253**, 256, 257
Oenothera **157**, 161, **177**-184, **197**-251, **348**-353
Abortion of styles 235, 236, 248
Oenothera (continued)
Double reciprocal hybrids 348-353
Etiolation 234, 249
Evanescent rosettes 219, 220
Flower color 204, 207, 243, 250
Creamy white 243, 250
Flower size 207, 218, 221, 222, 223, 225, 227
Genetic purity 199
Germination of seeds 198, **201**, 202, **216**, 217, 223, **228**, 243, 250
Gigantism 204, 236-239, 248
Linkage 245, 247, 250
Matrocliny 216, 246, 349, 351
Mendelian inheritance 198, 218, 220, 245, 246, 250
Merogony **348**-353
Midveins, red vs. white 242
Mutation 199, 228, 246
Nanism 198, 204, 217, 219-222, 225, 226, 228, 233-235, 245, 248, 249
Non-disjunction 157, 161
Papillae, red vs. green 207-209, 214, 216, 219, 220, 225, 229, 230, 247, 249
Patrocliny 210, 212-214, 246, 349, 351
Pollen sterility 207, 218, 220, 247, 250
Seed sterility 200, 202, 204, 216, 220, 226, 235, 236, 248, 250
Sickle-shaped leaves 233, 234, 249
Styles long vs. short 207, 218, 221-223, 225, 227, 228, 231
Tetraploidy 177-184
Triple hybrids 244, 245
Triploidy 157, 204, 236-239, 248
Twin hybrids 200, 244-246
Wood structure **177**-184
Oenothera albida 234, 249
Oenothera atrovirens 349
Oenothera biennis **197**-251
Oenothera "biennis Chicago" 246
Oenothera biennis cruciata 236
Oenothera biennis nanella 204
Oenothera biennis semi-gigas 204
Oenothera biennis sulfurea 204
Oenothera brevistylis 198, 235, 248
Oenothera Franciscana **197**-251
Oenothera gigas 177, 198, 230
Oenothera grandiflora 198, 199, 245, 248
Oenothera lacta 200, 246
Oenothera Lamarckiana 177, 198-200, 204 206, 210, 211, 228, 233-236, 239-242, 244-246, 248
Oenothera Lamarckiana cruciata 249
Oenothera lata 157, 161
Oenothera leptomeres 236
Oenothera Millersi 236
Oenothera muricata 201, 236
Oenothera nanella 204, 249
Oenothera nutans 245
Oenothera pratincola 177
Oenothera pratincola gigas 177
Oenothera pycnocarpa 245
Oenothera rubricalyx 198, 199, 245

Oenothera semi-gigas 204, 236-239, *248*
Oenothera semi-lata 157
Oenothera stenomeres **177**-184
Oenothera stenomeres gigas **177**-184
Oenothera sublinearis 234, 249
Oenothera velutina 200, 246
Oenothera venosa 349
Otto 313
Paramecium **387**-405 411, *462*, 486, 523, 527, 529
  Abnormalities 529
  Conjugation 527, 528
  Growth 399, 400, 523
  Rate of fission 527
  Selection **387**-404
    Negative effect 393, 399
  Size 387-404, 527
Paramecium aurelia 387, 389, 391, 394, 397, 400-404
Paramecium caudatum 387, 390, 391, 393, 394, 402, 527
Paratettix **156**, 157, 161
  Autosomal non-disjunction
  Multiple allelomorphs
Paratettix melanothorax 156
Parent by offspring mating **72**, **75**, **77**, **86**
Parthenogenesis 403
Partial extension 291-309, 384-386
Partial restriction 386
Patroclinous exceptions 9, 14, 37-44, 159, 160
Patroclinous hybrids 210-216, 246, 349, 351
Pearl, R. 54, 59, *89*, 175, 608, *616*
Pearson, K. 54, *89*, 409, 410, *534*, 608, *616*
Pedigrees
  Difflugia **415**, 421-423, 441-443, 455, 457, 458, 460, 468, 473, 474, 483, 494, 500, 513-521
  Drosophila 14
  Man 96
Personal characters 531
Petals crumpled *222*
Petunia nyctaginiflora 316
Petunia violacea 316
Phalangeal joints **90**-106
Phaseolus vulgaris (see beans) 186, 195
Phenotypes 165
Philips, J. C. 175
Phillips, J. McI. 369, 370, *375*
Piebald (see black-and-white) 379
Pigeons **157**
  Blond vs. dark 157
  Extracted reds 294
  Non-disjunction **157**, 161
  Partial sex-linkage 157
Pink eye color
  Canaries 158
  Drosophila 123, 124, 127, 538, 572, **573**, **574**, **575**-578
Plural factors 164, 174, 175, 324, **572**, 578
Pointer dogs 369
Pollen color **317**-318, 333
Pollen grains
  Quadrangular vs. triangular 177
Pollen sterility 207, 218, 220, 247, 250 356
Polydactylism 90
Polymorphic species 200
Pomace fly (see Drosophila) 354
Parent-offspring correlations 430, 431, 435-437, 464, 465, 475-478, 480-482, 485, 487, 490-492, 493, 495-497, 509, 510
Populations 53-89, 408-410, **419**, **429**, **430**, 444, 448-450, 452, 456, 459, 461, **530**, 531, **608**-616
  Constitution **419**, **437**, 444, 462, 530
  Correlation **419**, **428**, 452, 456, 459, **461**, 530
  Heterogeneity 408, 437, 444, 461, 462
  Inheritance **429**, **430**, 531
  Mendelian 53-89, **608**-616
  Parent-offspring correlations 410, 430, 431, 433, 435-437, 530
  Variation **419**, **423**, 444, 448-450
Powell, Horace M. 548, 570, 579, *579*, **581**
Presence and absence hypothesis 262
Primary non-disjunction **9**-**11**, 39, **44**, 119, 146, 154, 155, 157-159
Primordial leaves **185**-196
Primula 115, 161, 316, **354**-366
  Crossing over 358-366
  Double crossing over 358-364
  Green vs. red stigmas 354-366
  Linkage **354**-366
  Magenta vs. red flowers 354-366
  Segregation in F_2 316, 355-366
  Short vs. long styles 354-366
  Technique 355-357
  Tetraploidy 115, 161
Primula officinali-grandiflora 316
Primula Sinensis 115, 161, **354**-366
Pringsheim, A. 530 *534*
Probable error 174
Pubescence factor 278-285
Punnett, R. C. 158, *162*, 175, 283, *285*, *366*, 539
Pure lines 349, 403, 409, 410, 437, 462
Quantitative characters 165, 253, 317
  Beans 185-196
  Difflugia 419-533
  Nicotiana 164-176, 319-333
  Oenothera 177-184
  Paramecium 387-405
  Sugar beets 334-347
Quetelet, A. 335
Rabbits
  Black-and-tan 370
  Color factor 278
  Dominant red 371
  Rufus reds 371
Ramaley, F. 178, *184*

Random mating 53, **64**, **80**, **608**, **609**, 615
Rate of fission
  Difflugia 414
  Paramecium 527
  Stylonychia 404, 529
Rats 149, 365, 379
Reciprocal crosses
  Avena 257
  Drosophila 539-542, 544, 546-547, 555, 560, 568, 572-577
  Oenothera 206, **212**-216, 349
  Primula 359
Recombination 172, 173, 324, 354, 409
Red flower color, Primula 354-366
Red papillae, Oenothera 207-210, 216, 220, 226, 229, 247, 249
Red stigma, Primula 355-365
Reduction division 10, 13, 28, 29
Reductional non-disjunction, 115, 122, 161
Reduplication 355, 360
Regression 174, 324, 333, 403, 483, 496-499, 508, 512, 533
  Coefficients 417
REMICK, B. L. **608**
RENNER, O. 199, 200, 246, *251*, 348, *353*
Repulsion (see linkage) 126, 275, 283, 600
Restriction 158, 371, 379, 382
Retrogression 316
ROOT, FRANCIS M. 418
Rudimentary wing, Drosophila 149-**151**
Rufus red rabbits 371
SAFIR, SHELLY R. *580*, **584**
Secondary non-disjunction **11**-13, **15**, **16-18**, **28**, 37, 39, 45, 49, 119, 155, 156, 160
Secretion of sex glands 548, 579
Sea urchins 351
Seed sterility 198, 200-202, 216, 220, 250
Segments of the antennae, Aphis, 403
Segregation 316, 354, 360, 362
  Avena 261, 263, 264, 269, 273, 280, 283, 285
  Nicotiana 174, 175, 320, 324
  Oenothera 197, 220, 228, 245-246, 250
Selection 174, 297, 333, **387**-404, **407**-533, 611
Selection of dominants **68**, **84**, 614, 615
Selective elimination 149, 234, 247, 319
Self color 289-308, 370, 371, 375, 378, 379, 386
Self-fertilization **69**, 165, 174, 524, 612
Self-sterility
  Nicotiana 313, 323
  Oenothera 204, 238, 248
Separation of cotyledons 188, 189
Series, fundamental 54 (table 1), **56**-61
SETCHELL, W. A. 168, *176*, 312
Sex chromosomes 2, 3, 5, 108-111, 159, 162, 362
Sex comb 582
Sex-determination 4, 5, 109, 151, 152, 156, 162
Sex-linked inheritance **79**
  Abraxas **152**-156
  Aglia **158**
  Canaries **158**
  Cats **158**, 377, 378, 380-382, 386
  Drosophila ampelophila 4, 108, 120, 152-158, 362, 536, **537**, 540, **542**, 550, **556**, **570**, **572**, 578, 579, 589, 603, 604
  Drosophila obscura 605
  Drosophila virilis 592, 593, 599, 600, 603, 604
  Pigeons 157
Sexual dimorphism 538, 545, 547, 548, 559, 581, 585, 589
Shattering of oats 262, 284
SHAW, V. 367, *376*
Shifting of mean and mode 477, 478
Short style
  Oenothera 207, 218, 221-223, 225, 227, 228, 231
  Primula 354, 355, 358, 359, 365, 366
SHULL, G. H. 175, 199, 245, *251*, 349
SIGLER, RICHARD 579
Silk worm moth 158
Silky fowl 158
Simplex condition 262, 263
Single anthers, tests of 360, 366
Single ovaries, tests of 361, 366
Sister by brother mating **71**, 72, **84**, 85
Size inheritance **164**-176, 322-333
  Difflugia 419-423, 431-444, 462-469, 473-486, **495**, **496**, 498-505, 508-522, 531-533
  Nicotiana **164**-176, 322-333
  Paramecium 527
Somatic non-disjunction **136**
Somatic reduction 548
Spine length (see Difflugia)
Spine number (see Difflugia)
SPLENDORE, A. 312, 315
Spore formation 524
Standard deviation 264, 417
STANDFUSS, M. 158, *163*
Staphylea 186
Sterility
  Cats 383
  Drosophila 9, 10, 39-41, 45, 159, 162, 582, 595
  Nicotiana 313, 323
  Oenothera 198, 200-202, 204, 207, 218, 220, 226, 235, 236, 245, 247, 248, 250
  Primula 356
STEVENS, N. M. 3, 108, 109, 159, *163*
Stigma color
  Green vs. red, Primula 355-365
STOCKING, RUTH J. 404, *405*, 411, 529, *534*
STOMPS, T. J. 177, 203, 204, 209, 236, 243, *251*
STONEHENGE (J. H. WALSH 368, 376

STOUT, A. B. 530, *534*
Straight fingers 90-106
STURTEVANT, A. H. 1, 2, 121, 158, *163*, *274*, *286*, 362, *366*, *572*, *580*, 584, *590*, 591, 597, 606, *607*
Stylonychia pustulata 404, 529
Sugar beets **334**-347
  Days to mature **342**, **344**, **345**, 347
  Height **339**, **344**, 347
  Number of leaves **343**, **346**, 347
  Number of stems **341**, 347
  Sugar content **336**-**338**, **345**, **346**, 347
  Weight **336**, 337, **339**, 340, 347
  Yield of seed **338**, **339**-**341**, **342**, **343**, 347
Supernumerary chromosomes (see non-disjunction)
Supernumerary toes 100
SURFACE, FRANK M. **252**
Survival 185, 186
Sweet peas 278, 318, 539
Symphalangism **90**-106
Synapsis 12, 13, 28-30, 37, 111-**115**-119 160-161
Synapsis coefficient 17, 18, 37
Syndactylism 90
Systems of breeding **53**-89, 608-615
TALLQUIST 537
TAMMES, TINE 175
TANAKA, Y. *366*
Technique
  Breeding (see breeding)
  Card sorting 253, 265
  Computations (see also formulae) 336, 388, 416, 417
  Cryoscopic method 192
  Culture
    Difflugia **414**, 472, 528
    Paramecium 388
    Primula 356, 357
  Experimental germination (see germination)
  Killing and preserving, 388, **416**, 427
  Microscopic measurements 388
  Pedigree records **415**
Teratological bean seedlings **185**-196
Tetraploidy 115, 161, **177**-184
THOMAS, N. 157, *163*
TICE, SABRE COLBY 566, 570, *580*
Time of flowering, Nicotiana, 320
Tortoiseshell coat color
  Cats **377**-385
  Guinea-pigs 288-298, 302-308, 370, 378, 379, 383
TOWAR, J. D. 335, *347*
Tracheids 178, 179, 181
Triangle wing character 604, 605
Tricolor inheritance
  Cats **377**-**384**-386
  Dogs 287, **367**-375, **384**-386
  Guinea-pigs **287**-309, 367, 373, 378, **384**-386
Tricotyly 190
Total extension 304, 386
Triple hybrids 244, 245
Triploidy 157, 204, 236-238, 248
TROW, A. H. *366*
VON TSCHERMAK, E. 175, 270, *286*
TUPPER, W. W. **177**
TURNER, J. SIDNEY 369, 373
Twin hybrids 200, 244-246
Uniformity of first generation 316, 332
Uniform pigmentation (see self color) 375
Uniparental inheritance 403, **407**, 409-411, 486, 523, **526**, 527
  Coleus 530
  Difflugia 404, **407**, 534
  Paramecium 387-404, 486, 529
  Stylonychia 529
URBAN, J. 335, 336, *347*
Variability of the F_2 165-167, 171, 172, 175, 322, 324, 327, 332, 333
Variegation 530
Vascular bundles 178
Vegetative reduction 355
Vegetative reproduction (see uniparental inheritance) 528, 530
VEJDOVSKY, W. 365, *366*
Vitis 319
WALKER, G. 90, 95, 96, 97, 98, 101, 102, *106*
WALSH, J. H. 368, *376*
W chromosome 153-156
Webbed toes 100
Weight index 188, 189
Weight of beets **336**, 337, **339**, 340, 347
Weight of seed, beets **338**, **339**, **340**, **342**, **343**, 347
WEINMANN 311
WENTWORTH, E. N. **608**
WHITE, C. H. 253
WHITING, P. W. 158, *163*, 296, 309, 377, 378, 379, 380, 383, 384, *386*
Whiting eye color **148**
Wild base, oats 254, **264**-266, 268, 269, 271, 285
Wild oats **253**, 256, 257, 265
WILSON, E. B. 11, 158, 159, *163*
WOLF, F. 530, *534*
WOODRUFF, L. L. 400, *405*
Wood structure, Oenothera **177**-184
WRIGHT, S. 365, *366*
X chromosome 2-52, 107-152, 158-162, 536, 537, 544, 546, 548, 552, 557, 579, 582, 583, 586, 588
XO males 9-11, 39-41, 45, 159
XXX zygotes 9, 11, 12, 17, 44, **119**, 120, 135, 160
XXY females 9-**19**-28, **37**-41, 44, 49, **107**-**111**-120, 122 130, 133, 136, 141, 142, 159, 160
XYY males 28-37, 160
Y chromosome 3, 45, 108-111, 119, 159-162

Yellow body color
Cats 158, 377, 379, 383, **384**
Drosophila ampelophila 7, 35, 41, 50, **51**, 122, 123, 133, 149, 151, 535, 550-554, 561-563, 579, 585-589, 603, 604
Drosophila virilis **593**, 599, 601-604
Guinea-pigs 307
Mice 151
Yellow spotting 383
Yellow glume color, oats 255, 257-264, 268, 269, 273, 285
Yellow vs. blue pollen **317**, 318
YULE, G. U. 276, *286*
Z chromosome 152-156
ZELENY, CHARLES 387
ZUELZER, M. 524, *534*